

# AFCTN Test Report 94-056

# AFCTB-ID 93-110



Technical Graphics Transfer

Using:



Auto-trol Technology's Data




MIL-D-28003A (CGM)



**Quick Short Test Report** 

15 December 1993




19960822 173



Prepared for
Electronic Systems Center
Det 2 HQ ESC/AV-2
4027 Colonel Glenn Hwy, Suite 300
Dayton, Ohio 45431-1672

DTIC QUALITY INSPECTED 3

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

**Technical Graphics Transfer** Using: **Auto-trol Technology 's Data** 

MIL-D-28003A (CGM)

**Quick Short Test Report 15 December 1993** 

Prepared By Air Force CALS Test Bed Wright-Patterson AFB, OH 45433

#### **AFCTB Contact**

Gary Lammers (513) 427-2295

#### **AFCTN Contact**

Mel Lammers (513) 427-2295

#### DISCLAIMER

This document was prepared as an account of the work sponsored by the Air Force. Neither the United States Government, the Air Force, nor any of their employees makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, nor represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial products, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or the Air Force. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or the Air Force, and shall not be used for advertising or product endorsement purposes.

Available to the public from the National Technical Information Service U.S. Department of Commerce 5285 Port Royal Road Springfield, VA 22161

This report and those involved in its preparation do not endorse any product, process, or company stated herein. Use of these means by anyone does not imply certification by the Air Force CALS Test Network (AFCTN).

# **Contents**

1.	Intro	duction1
	1.1.	Background1
	1.2.	Purpose2
2.	Test	Parameters
3.	1840A	Analysis5
	.3.1.	External Packaging5
	3.2.	Transmission Envelope5
		3.2.1. Tape Formats5
		3.2.2. Declaration and Header Fields5
4.	IGES	Analysis5
5.	SGML	Analysis5
6.	Raste	r Analysis6
7.	CGM A	nalysis6
8.	Concl	usions and Recommendations9
9.	Appen	dix A - Detailed CGM Analysis10
	9.1.	File ATTC_2800310
		9.1.1. Parser Log - MetaCheck10
		9.1.2. validcgm Log12
		9.1.3. Output Cadleaf
		9.1.4. Output Generic14
		9.1.5. Output Designer15
		9.1.6. Output Freelance16

	9.1.7.	Output	Harvard	Gra	phics		• • • • •		.17
	9.1.8.	Output	HiJaak f	or I	Windows	3			.18
	9.1.9.	Output	IslandDr	aw.		· • • • •			.19
	9.1.10.	Output	IslandDr	aw '	v4.0	· • • • •	• • • • •		.20
	9.1.11.	Output	Ventura	Pub:	lisher		• • • • •		.21
9.2.	File AT	TC_28003	3A		· · · · · ·		• • • • •		.22
	9.2.1.	Parser	Log Meta	.Che	ck			. <b></b>	.22
	9.2.2.	validc	gm Log		• • • • • •			. <b></b>	.24
	9 2 3	Output	Havard G	rani	hica				26

#### 1. Introduction

#### 1.1 Background

The Department of Defense (DoD) Air Force Continuous Acquisition and Life-cycle Support (CALS) Test Network (AFCTN) is conducting tests of the military standard for the Automated Interchange of Technical Information, MIL-STD-1840A, and its companion suite of military specifications. The AFCTN is a DoD sponsored confederation of voluntary participants from industry and government managed by the Electronic Systems Center (ESC).

The primary objective of the AFCTN is to evaluate the effectiveness of the CALS standards for technical data interchange and to demonstrate the technical capabilities and operational suitability of those standards. Two general categories of tests are performed to evaluate the standards; formal and informal.

Formal tests are large and comprehensive, which follow a written test plan, require specific authorization from the DoD, and may take months to prepare, execute, and report.

Informal tests are quick and short, used by the AFCTN technical staff, to broaden the testing base. They include representative samples of the many systems and applications used by AFCTN participants. They also allow the AFCTN staff to gain feedback from many industry and government interpretations of the standards, to increase the base of participation in the CALS initiative, and respond to the many requests for help that come from participants. Participants take part voluntarily, benefit by receiving an evaluation of their latest implementation (interpretation) of the standards, interact with the AFCTN technical staff, gain experience using the standards, and develop increased confidence in them. The results of informal tests are reported in Quick Short Test Reports (QSTRs) that briefly summarize the standard(s) tested, the hardware and software used, the nature of the test, and the results.

#### 1.2 Purpose

The purpose of the informal test, reported in this QSTR, was to analyze Auto-trol Technology's interpretation and use of the CALS standards in transferring technical graphics data. Auto-trol used its CALS Technical Data Interchange System, which consist of Sun Sparcstation/SunOS hardware and Auto-trol Series 5000 v9.1 software, to produce data in accordance with the standards, and delivered it to the AFCTN technical staff using an electronic transfer via internet. The stated purpose of the test was to evaluate the data only. The CALS MIL-STD-1840A format data was not included.

#### 2. Test Parameters

Test Plan:

AFCTB 93-110

Date of

Evaluation:

15 December 1993

Evaluator:

George Elwood

Air Force CALS Test Bed DET 2 HQ ESC/AV-2P 4027 Colonel Glenn Hwy

Suite 300

Dayton OH 45431-1672

Data

Originator:

Clayton Spears / Jeff Courtney

Auto-trol Technology

12500 North Washington Street

Denver CO 80241-2400

(303) 252-2604

Data

Description:

Technical Manual Test

2 Computer Graphics Metafile (CGM) files

Data

Source System:

CGM

HARDWARE

Sun Sparcstation/SunOS

SOFTWARE

Auto-trol Series 5000 v9.1

Evaluation Tools Used:

MIL-D-28003 (CGM)

SUN SparcStation 2

AFCTN validcgm (B)

Carberry CADLeaf Plus v3.1 Island Graphics IslandDraw v3.0 Island Graphics IslandDraw v4.0 PC 486/50

Advance Technology Center
(ATC) MetaCheck R 2.10

Software Publishing Corporation
(SPC) Harvard Graphics v3.05

Inset Systems HiJaak Pro
Lotus Freelance v2.01

Micrografx Designer v4.0

Corel Ventura Publisher

Standards Tested:

MIL-D-28003 MIL-D-28003A

#### 3. 1840A Analysis

#### 3.1 External Packaging

The files were sent electronically to the Air Force CALS Test Bed (AFCTB) using internet.

#### 3.2 Transmission Envelope

Per agreement between Auto-trol and the AFCTB, the files were submitted via an electronic transfer instead of a full CALS submission. Hence, the file was not named in accordance with the MIL-STD-1840A requirements.

#### 3.2.1 Tape Formats

Not evaluated.

#### 3.2.2 Declaration and Header Fields

The MIL-STD-1840A header and Document Declaration files were not included in this test.

#### 4. IGES Analysis

No Initial Graphics Exchange Specification (IGES) files were included in this test.

### 5. SGML Analysis

No Standard Generalized Markup Language (SGML) files were included in this test.

#### 6. Raster Analysis

No Raster files were included in this test.

#### 7. CGM Analysis

The electronic transfer consisted of two CGM files. The files were generated using both MIL-D-280003 and MIL-D-28003A specifications. The files were evaluated using ATC's MetaCheck with CALS options. File ATTC\_28003, which is the MIL-D-28003 file, had no reported errors.

ATC's MetaCheck reported that the file ATTC-28003A did not meet the specification defined in MIL-D-28003. However, inspecting the log file it was noted that the file was written to the MIL-D-28003A specification. The AFCTB currently does not have a parser available to evaluate the "A" specification, as none is available commercially. The errors listed in the parser log were checked against the "A" specification and were noted as being acceptable.

MIL-D-28003A permits 32 simultaneous fonts. The permitted fonts are listed in para.3.2.4.4. The fonts reported in the files are defined in the specification.

The CGM file ATTC\_28003A was evaluated using the beta AFCTN validcgm utility. This utility also reported that the file did not meet specification of MIL-D-28003. File ATTC\_28003 had no reported error from the AFCTN validcgm utility.

The AFCTB has several tools for viewing CGM files. These tools are not used to generate a pass/fail but to report how commercially available software can handle the files. Many of these products are used in the development of technical publications and are good indicators of usability. The use of these products is not an endorsement nor and indication of CALS capability. All operations were performed using the default settings.

The CGM files were converted using a utility available within the AFCTB, without a reported error. The resulting files were read into Island Graphics' IslandDraw v3.1, displayed and printed. Text overflow was noted in the restricted text block. The cell array displayed and printed some of the individual blocks. This was due to the output

set for black and white used in publications. Both files displayed the same results.

The files were read into Carberry's *CADLeaf* software, displayed and printed. The displays were in color for both files. Errors in the restricted text block were noted. Text overflow was also noted in two block definitions (13 & 14). When displayed on the screen the cell array appeared correct. Both files displayed the same results.

Both files were read into another software available within the AFCTB, without a reported error. When viewed random lines were displayed. File ATTC\_28003 displayed and printed only part of the file. File ATTC\_28003A also imported without a reported error. When it was viewed only two lines were displayed.

Both files were read into Inset Systems' HiJaak Pro without a reported error. The images displayed in color on a blue background. All entities with the exception of the cell array were displayed. The text in the restricted block was not displayed inside the boxes. The font appears to be the same for all three lines of text.

The files were imported directly into Island Graphics' *IslandDraw v4.0* without a reported error. The image was displayed in color. Errors were noted in the restricted text block where all text appears to be the same size. The cell array displayed correctly but printed as a black block. Block definitions did not exhibit text overflow.

The files were imported into the Micrografx Designer v4.0 with 14 reported errors. The displayed image was in black and white. Text overflow was noted in the restricted text block where all text appears to be the same size. The polygon set consisted of vertical lines with the triangle shapes missing. The cell array did not display. The text in the text block did not print on an upward line, and it displayed with each letter having a slant. The elliptical arc was displaced into the circle block. All shaded entities were displayed and printed in black.

According to Michael Harrison of Micrografx, "The version of Micrografx Designer used with this report has been replaced with Designer version 4.0 which reads and prints these files successfully."

The files were imported into SPC's Harvard Graphics v3.05 with a non-CGM entity reported error. Errors were noted in the restricted text block and polygon set. Font changes were noted between the two files in the restricted text block. The cell array did not display. Some text overflow was note in the block definitions.

The files were read into Lotus' Freelance without a reported error. Errors were noted in the restricted text block where all text was the same size. In the polygon set the triangle shapes were missing. The cell array displayed correctly in color on the screen but printed as black blocks.

The files were converted using Corel's Ventura Publisher without a reported error. The images were displayed in black and white. The restricted text overflowed the defined area with all text the same size. The Polygon set was not displayed correctly. The cell array did not display.

File ATTC\_28003 meets the specification defined in the CALS MIL-D-28003.

The CGM file ATTC\_28003A was submitted as a MIL-D-28003A file; not a MIL-D-28003 file. The AFCTB is currently unable to evaluate the "A" file type.

#### 8. Conclusions and Recommendations

The file submitted by Auto-trol was a data only submission. The MIL-STD-1840A requirements were not evaluated per agreement between Auto-trol and the AFCTB.

The electronically submitted CGM file ATTC\_28003 meets the CALS MIL-D-28003 specification.

The electronically submitted CGM file ATTC\_28003A does not meet the CALS MIL-D-28003 specification. However, the submitted file appears to meet the specification defined in CALS MIL-D-28003A. No commercial CGM parser is available for the "A" specification at this time.

#### 9. Appendix A - Detailed CGM Analysis

#### 9.1 File ATTC 28003

#### 9.1.1 Parser Log - MetaCheck

MetaCheck Version 2.10 -- CGM/MIL-D-28003 Conformance Analyzer Copyright 1988-93 CGM Technology Software Execution Date: 12/15/93 Time: 09:05:32 Metafile Examined : \93110\at28003.cgm Pictures Examined : All Elements Examined : All : All Bytes Examined Tracing not selected. ======= CGM Conformance Violation Report ========== No Errors Detected ======= CALS CGM Profile (MIL-D-28003) Report ========= No profile discrepancies detected. ======== Conformance Summary Report =========== MetaCheck Version 2.10 -- CGM/MIL-D-28003 Conformance Analyzer Copyright 1988-93 CGM Technology Software Execution Date: 12/15/93 Time: 09:05:35 Name of CGM under test: \93110\at28003.cgm Encoding : Binary : All Pictures Examined : All Elements Examined Examined : All Bytes BEGIN METAFILE string : >attc-ctn01< METAFILE DESCRIPTION : >Auto-trol/REL-2.0 MIL-D-28003/BASIC-<

>1<

Picture 1 starts at octet offset 172: >attc-ctn01<

Conformance Summary : This file conforms to the CGM specification.

This file meets the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested 351 Elements Tested 8424 Octets Tested

No Errors Were Detected |


======== End of Conformance Report ============

#### 9.1.2 validcgm Log


(5, 30) occurred 1 time

Analysis for file attc\_28003.cgm using table table (0, 1) occurred 1 time (0, 2) occurred 1 time (0, 3) occurred 1 time (0, 4) occurred 1 time (0, 5) occurred 1 time (1, 1) occurred 1 time (1, 2) occurred 1 time (1, 7) occurred 1 time (1, 8) occurred 1 time (1, 9) occurred 1 time (1, 11) occurred 1 time (1, 13) occurred 1 time (2, 2) occurred 1 time (2, 3) occurred 1 time (2, 4) occurred 1 time (2, 5) occurred 1 time (2, 6) occurred 1 time (2, 7) occurred 1 time (4, 1) occurred 163 times (4, 4) occurred 53 times (4, 7) occurred 7 times (4, 8) occurred 1 time (4, 9) occurred 1 time (4, 12) occurred 3 times (4, 15) occurred 2 times (4, 18) occurred 1 time (5, 2) occurred 2 times (5, 3) occurred 21 times (5, 4) occurred 20 times (5, 10) occurred 2 times (5, 12) occurred 1 time (5, 13) occurred 6 times (5, 14) occurred 7 times (5, 15) occurred 8 times (5, 16) occurred 2 times (5, 18) occurred 1 time (5, 22) occurred 8 times (5, 23) occurred 12 times (5, 28) occurred 2 times (5, 29) occurred 9 times


## 9.1.3 Output Cadleaf



# 9.1.4 Output Generic



# 9.1.5 Output Designer



9.1.6 Output Freelance

990-76

AFCTN Test Report

	.ABC +D	(6) APPEND TEXT	(13) CIRCULAR ARC 3 POINT	(19) ELLIPTICAL ARC CLOSE	RK Aetafile 91-10-03
AbcderghijK	AbcderGhijK AbcderGhijK	(5) RESTRICTED TEXT	(12) CIRCLE	(18) ELLIPTICAL ARC	CALS TEST NETWORK MIL-D-28003 Computer Graphics Metafile File: CTN-01ld, Draft 91-10-03
TFEL D	W N N N N N N N N N N N N N N N N N N N	(4) TEXT	(11) RECTANGLE	(17) ELLIPSE	
+	· <del>**</del> · · · · · · · · · · · · · · · · · ·	(3) POLYMARKER	 ) CELL ARRAY	(16) CIRCULAR ARC CENTRE CLOSE	
<b>₩</b>		(3)	(9) CELL ARRA)	(16) O AF	
		(2) DISJOINT (3) F POLYLINE	(8) POLYGON (9) C SET AF	(15) CIRCULAR (16) C ARC CENTRE AF	


9.1.7 Output Harvard Graphics

<b>&gt;</b>	$\Rightarrow$	0	TFEL O	4bChEfGhIJK	¥
	X	2 1 	ABCD N	<u>вьсаетсы</u> К. Авс+ D	K.ABC+D K
1) POLYLINE	(2) DISJOINT POLYLINE	(3) POLYMARKEH(4) TEXT		(5) RESTRICTED(6) APPEND TEXT	(6) APPEND TEXT
	=======================================				
7) POLYGON	(8) POLYGON SET	(9) CELL ARRAY	(11) RECTANGL(12) CIRCLE	(12) CIRCLE	(13) CIRCULAR ARC 3 POIN
(14) CIRCULAR ARC 3 POIN CLOSE	(15) CIRCULAR ARC CENTRI	(16) CIRCULAR ( ARC CENTRE CLOSE	(17) ELLIPSE	(18) ELLIPTICAL ARC	(18) ELLIPTICAL(19) ELLIPTICAL ARC CLOSE
LINE TYPE				CALS TEST NETWORK MIL-D-28003 Computer Graphics Metalile File: CTN-011d, Draft 91-10-	TEST NETWORK D-28003 uter Graphics Metalile CTN-011d, Draft 91-10-03


9.1.8 Output HiJaak for Windows

AbCdEfGhljK AbCdEfGhliK	AbCdEfGhljK  (5) RESTRICTED (6) APPEND TEXT  TEXT	12) CIRCLE (13) CIRCULAR ARC 3 POINT	(18) ELLIPTICAL ARC CLOSE ARC	CALS TEST NETWORK MIL-D-28003 Computer Graphics Metafile File: CTN-011d, Draft 91.10.03
**	<del>Z</del>	CELL (11) RECTANGLE (12) CIRCLE	(16) CIRCULAR (17) ELLIPSE (:	
+	(2) DISJOINT (3) PO	(8) POLYGON (9) CELL SET ARRA'	(15) CIRCULAR (16) CI ARC CENTRE AR	
	(1) POLYLINE	(7) POLYGON	(14) CIRCULAR ARC 3 POINT	LINE TYPE


# 9.1.9 Output IslandDraw



# 9.1.10 Output IslandDraw v4.0



# 9.1.11 Output Ventura Publisher



#### 9.2 File ATTC 28003A

#### 9.2.1 Parser Log MetaCheck

MetaCheck Version 2.10 -- CGM/MIL-D-28003 Conformance Analyzer Copyright 1988-93 CGM Technology Software Execution Date: 12/15/93 Time: 09:05:47 Metafile Examined : \93110\at28003a.cgm Pictures Examined : All Elements Examined : All Bytes Examined : All Tracing not selected. ======= CGM Conformance Violation Report ========= No Errors Detected ======= CALS CGM Profile (MIL-D-28003) Report ========= Error 6501: Element Class/ID: 1/2 Offset: 26 octets Element No. 4 The METAFILE DESCRIPTION string is invalid; it lacks the phrase "MIL-D-28003/BASIC-1" required by the Profile. Error 6508: Element Class/ID: 1/13 Offset: 82 octets Element No. 8 The FONT LIST element is invalid; it may not contain more than 4 font names. Error 6509: Element Class/ID: 1/13 Offset: 82 octets Element No. 8 Invalid list parameters; each of the Font Names in the FONT LIST element must be among the Font Names allowed by the Profile. Error 6521: Element Class/ID: 5/10 Offset: 1392 octets Element No. 69 The Text Font Index value is invalid; it must not exceed 4. Error 6521: Element Class/ID: 5/10 Offset: 1710 octets Element No. 99 The Text Font Index value is invalid; it must not exceed 4. Error 6521: Element Class/ID: 5/10 Offset: 1746 octets Element No. 104 The Text Font Index value is invalid; it must not exceed 4. ======== Conformance Summary Report ============

MetaCheck Version 2.10 -- CGM/MIL-D-28003 Conformance Analyzer

Copyright 1988-93 CGM Technology Software Execution Date: 12/15/93 Time: 09:05:51

Name of CGM under test: \93110\at28003a.cgm

Encoding : Binary

Pictures Examined : All Elements Examined : All Bytes Examined : All

BEGIN METAFILE string : >attc-ctn01a<

METAFILE DESCRIPTION : >Auto-trol/REL-2.0 MIL-D-28003A/BASIC<

>-1<

Picture 1 starts at octet offset 516: >attc-ctn01a<

Conformance Summary : This file conforms to the CGM specification.

However, this file does not satisfy the CALS CGM Profile (MIL-D-28003).

Summary of Testing Performed and Errors Found:

1 Pictures Tested 352 Elements Tested 8772 Octets Tested

0 Illegal CGM Elements	1000 -	1999
0 Incorrect CGM Element Lengths	2000 -	2999
0 CGM State Errors	3000 -	3499
0 Required CGM Elements Missing or Wrong	4000 -	4499
0 CGM Parameter Values Out of Range	6000 -	6499
0 CGM Structure Errors	7000 -	7499
0 *** CGM Errors Found (total)	***	
0 *** CGM Errors Found (total) 0 Profile State Errors	*** 3500 -	3999
con 111015 round (cocur)		3999 4999
O Profile State Errors	3500 -	

9500 -

6 \*\*\* Profile Violations Found (total) \*\*\*

4 distinct error(s) and warning(s) reported.

O Other Profile Constraints Violated

======== End of Conformance Report =============

#### 9.2.2 validcgm Log

```
Analysis for file attc_28003a.cgm using table table
MILSPEC 28003 error: descriptor doesn't contain MIL-D-28003/BASIC-1
                              Metafile Description "Auto-trol/REL-2.0
                 (1, 2, 40)
(4, 26)
MIL-D-28003A/BASIC-1"
MILSPEC 28003 error: more than 4 fonts
MILSPEC 28003 error: illegal font name TIMES_ROMAN
MILSPEC 28003 error: illegal font name TIMES_ITALIC
MILSPEC 28003 error: illegal font name TIMES BOLD
MILSPEC 28003 error: illegal font name TIMES_BOLD_ITALIC
MILSPEC 28003 error: illegal font name HELVETICA
MILSPEC 28003 error: illegal font name HELVETICA OBLIQUE
MILSPEC 28003 error: illegal font name HELVETICA_BOLD
MILSPEC 28003 error: illegal font name
                                        HELVETICA BOLD OBLIQUE
MILSPEC 28003 error: illegal font name
                                        COURIER
MILSPEC 28003 error: illegal font name COURIER_BOLD
(8.82)
                 (1, 13, 430)
                                Font List
                                "TIMES ROMAN"
                                "TIMES ITALIC"
                                "TIMES BOLD"
                                "TIMES BOLD ITALIC"
                                "HELVETICA"
                                "HELVETICA OBLIQUE"
                                "HELVETICA BOLD"
                                "HELVETICA_BOLD_OBLIQUE"
                                "COURIER"
                                "COURIER BOLD"
MILSPEC 28003 error: illegal text font index
                 (5, 10, 2)
                                Text Font Index 14
(69, 1392)
MILSPEC 28003 error: illegal text font index
(99, 1710)
                 (5, 10, 2)
                             Text Font Index 21
MILSPEC 28003 error: illegal text font index
                 (5, 10, 2)
                                Text Font Index 17
(104, 1746)
(0, 1) occurred 1 time
(0, 2) occurred 1 time
(0, 3) occurred 1 time
(0, 4) occurred 1 time
(0, 5) occurred 1 time
(1, 1) occurred 1 time
(1, 2) occurred 1 time
(1, 7) occurred 1 time
(1, 8) occurred 1 time
(1, 9) occurred 1 time
(1, 11) occurred 1 time
(1, 13) occurred 1 time
(2, 2) occurred 1 time
```

- (2, 3) occurred 1 time
- (2, 4) occurred 1 time
- (2, 5) occurred 1 time
- (2, 6) occurred 1 time
- (2, 7) occurred 1 time
- (4, 1) occurred 163 times
- (4, 4) occurred 53 times
- (4, 7) occurred 7 times
- (4, 8) occurred 1 time
- (4, 9) occurred 1 time
- (4, 12) occurred 3 times
- (4, 15) occurred 2 times
- (4, 18) occurred 1 time
- (5, 2) occurred 2 times
- (5, 3) occurred 21 times
- (5, 4) occurred 20 times
- (5, 10) occurred 3 times
- (5, 12) occurred 1 time
- (5, 13) occurred 6 times
- (5, 14) occurred 7 times
- (5, 15) occurred 8 times
- (5, 16) occurred 2 times
- (5, 18) occurred 1 time (5, 22) occurred 8 times
- (5, 23) occurred 12 times
- (5, 28) occurred 2 times
- (5, 29) occurred 9 times
- (5, 30) occurred 1 time

# 9.2.3 Output Havard Graphics

(3) POLYMARKEF ARRAY ARRAY (16) CIRCULAR ARG CENTRE CLOSE	TFEJ HDCAEIGNJK  W HDCAEIGNJK  W HDCAEIGNJK  D N HDCAEIGNJK	(5) RESTRICTED(6) APPEND TEXT	(11) RECTANGL (12) CIRCLE (13) CIRCULAR ARC 3 POIN		CALS TEST NETWORK MIL-D-28003
	T.	ARKEF(4) TEXT	(11) RECTA	ULAR (17) ELLIPSE ENTAR	
	o-"	POLYLINE (3) POLYM.	 (B) POLYGON (9) CELL SET	(15) CIRCULAR (16) CIRCU ARC CENTRE ARC C	